

Breast Cancer Following Treatment for Childhood Cancer: Are You at Risk?

You have successfully been treated for cancer during childhood or adolescence and are now moving forward with your life – so the last thing you want to be reminded about is the risk of developing another cancer during adulthood. For a variety of reasons, the risk of cancer increases for everyone as they age. Depending on the specific treatment you received for childhood cancer, you may be at increased risk for developing breast cancer. It is important to understand that risk, so that you can take steps to protect your health.

What are the risk factors?

Several studies have shown that **women treated with radiation to the chest for cancer during childhood, adolescence, or young adulthood** have an increased risk of developing breast cancer as they get older, compared to women their same age in the general population. The risk of secondary breast cancer is **related to the dose of radiation**. People treated with higher doses of radiation have the highest risk. Researchers are studying this problem to better understand the risk factors and find ways to prevent secondary breast cancer.

There are other **known risk factors** for developing breast cancer that apply to all women, not just those who have received radiation to the chest.

These additional risk factors include:

- Early menstruation (before the age of 12)
- Late menopause (after age 55)
- Never having a baby or having a first baby after the age of 30
- Having a close relative with breast cancer
- Being overweight
- Having an inactive (sedentary) lifestyle (not getting regular exercise)

Other **possible risk factors** associated with developing breast cancer include:

- High fat diet
- Drinking too much alcohol
- Never breastfeeding
- Smoking
- Birth control pills
- Hormone replacement therapy taken for long periods of time

When is breast cancer likely to occur?

The risk of secondary breast cancer begins to increase between five and nine years following radiation therapy and continues to rise thereafter. This means that if a woman develops breast cancer following chest radiation for childhood/adolescent cancer, it usually happens at a much younger age (usually 30 to 40 years old) than in women who develop primary breast cancer (usually age 50 or older).

What can I do to protect my health?

Most women who received radiation therapy to the chest during childhood, adolescence, or young adulthood will **NOT** develop breast cancer. However, if you received radiation to the chest, it's important to understand that the risk **IS** higher for you than it is for women your age who never received radiation. So, the best way for you to protect your health is by taking steps to closely monitor your breasts. That way, if a cancer develops, it will be detected in its earliest stages, when treatment is most effective. It is also important to tell your healthcare provider about your cancer treatment history, including the dose of chest radiation that you received. You should arrange for your healthcare provider to obtain a written summary of your cancer treatment (see *related Health Link: "Introduction to Long-Term Follow-Up"*).

What monitoring is recommended?

If you were treated with **chest radiation therapy at a dose of 20 Gy (2000 cGy/rads) or higher** during childhood, adolescence, or young adulthood, you should:

1. **Perform monthly breast self-examination.** Report any lumps or changes to your healthcare provider right away.
2. Have a **clinical breast exam** performed by your healthcare provider - at least once a year until you reach age 25 - then every 6 months thereafter.
3. Have a **yearly mammogram*** - starting at age 25 **or** 8 years after you received radiation (whichever comes last).

**Note:* Breast tissue in younger women (prior to menopause) tends to be more dense than breast tissue in older women. Because of this, some healthcare providers may recommend other tests (such as an MRI or breast ultrasound) to monitor for breast cancer in younger women.

If your healthcare provider is not familiar with these monitoring recommendations for women who have received chest radiation during childhood, adolescence, or young adulthood, we encourage you to share this Health Link with them, and tell them that additional information is also available at www.survivorshipguidelines.org.

What if I had a lower dose of radiation to the chest (or had total body irradiation)?

For those treated with lower doses of radiation therapy to the chest (less than 20 Gy or 2000 cGy/rads), or for those who had total body radiation, there still may be an increased risk, but there are no scientific studies currently available to confirm this. You should have a discussion with your healthcare provider and make a decision about whether or not monitoring for breast cancer should be started earlier for you than for people who never had radiation.

Is there anything else I can do to minimize the risk?

The following lifestyle changes may help reduce the risk of developing breast cancer, and will also help you to stay as healthy as possible:

- Eat more fruits and vegetables (at least 5 servings a day are recommended).
- Exercise at least 30 minutes per day on most days of the week.
- If you are overweight, lose excess weight.
- Limit your intake of alcohol to no more than one drink per day.
- If you smoke, quit.
- If you have a baby, try to breastfeed for at least four months.
- If you need hormone replacement therapy or birth control pills, discuss the risks and benefits with your healthcare professional.
- Limit your exposure to potentially harmful chemicals and pesticides. Use protective equipment if you are exposed to chemicals in your workplace.

If you have questions regarding your risk of developing breast cancer, and how you can best protect your health, be sure to discuss this with your healthcare provider.

Written by Melissa Hudson MD, After Completion of Therapy Clinic, St. Jude Children's Research Hospital, Memphis, TN, and Wendy Landier, RN, MSN, CPNP, CPON®, Survivorship Clinic, City of Hope National Medical Center, Duarte, CA. Portions adapted from CCSS Newsletter Winter 2001, used with permission.

Reviewed by Jacqueline Casillas MD, Smita Bhatia MD, MPH, Louis S. Constine MD, Debra Friedman MD, and Fran Wiley RN, MN.

Additional health information for childhood cancer survivors is available at
www.survivorshipguidelines.org

Note: Throughout this *Health Links* series, the term "childhood cancer" is used to designate pediatric cancers that may occur during childhood, adolescence, or young adulthood. *Health Links* are designed to provide health information for survivors of pediatric cancer, regardless of whether the cancer occurred during childhood, adolescence, or young adulthood.

Disclaimer and Notice of Proprietary Rights

Introduction to Late Effects Guidelines and Health Links: The "*Long-Term Follow-Up Guidelines for Survivors of Childhood, Adolescent, and Young Adult Cancers*" and accompanying "*Health Links*" were developed by the Children's Oncology Group as a collaborative effort of the Late Effects Committee and Nursing Discipline.

For Informational Purposes Only: The information and contents of each document or series of documents made available from by the Children's Oncology Group relating to late effects of cancer treatment and care or containing the title "*Long-Term Follow-Up Guidelines for Survivors of Childhood, Adolescent, and Young Adult Cancers*" or the title "*Health Link*", whether available in print or electronic format (including any digital format, e-mail transmission, or download from the website), shall be known hereinafter as "Informational Content". All Informational Content is for informational purposes only. The Informational Content is not intended to substitute for medical advice, medical care, diagnosis or treatment obtained from a physician or health care provider.

To cancer patients (if children, their parents or legal guardians): Please seek the advice of a physician or other qualified health provider with any questions you may have regarding a medical condition and do not rely on the Informational Content. The Children's Oncology Group is a research organization and does not provide individualized medical care or treatment.

To physicians and other healthcare providers: The Informational Content is not intended to replace your independent clinical judgment, medical advice, or to exclude other legitimate criteria for screening, health counseling, or intervention for specific complications of childhood cancer treatment. Neither is the Informational Content intended to exclude other reasonable alternative follow-up procedures. The Informational Content is provided as a courtesy, but not intended as a sole source of guidance in the evaluation of childhood cancer survivors. The Children's Oncology Group recognizes that specific patient care decisions are the prerogative of the patient, family, and healthcare provider.

No endorsement of any specific tests, products, or procedures is made by Informational Content, the Children's Oncology Group, or affiliated party or member of the Children's Oncology Group.

No Claim to Accuracy or Completeness: While the Children's Oncology Group has made every attempt to assure that the Informational Content is accurate and complete as of the date of publication, no warranty or representation, express or implied, is made as to the accuracy, reliability, completeness, relevance, or timeliness of such Informational Content.

No Liability on Part of Children's Oncology Group and Related Parties/ Agreement to Indemnify and Hold Harmless the Children's Oncology Group and Related Parties: No liability is assumed by the Children's Oncology Group or any affiliated party or member thereof for damage resulting from the use, review, or access of the Informational Content. You agree to the following terms of indemnification: (i) "Indemnified Parties" include authors and contributors to the Informational Content, all officers, directors, representatives, employees, agents, and members of the Children's Oncology Group and affiliated organizations; (ii) by using, reviewing, or accessing the Informational Content, you agree, at your own expense, to indemnify, defend and hold harmless Indemnified Parties from any and all losses, liabilities, or damages (including attorneys' fees and costs) resulting from any and all claims, causes of action, suits, proceedings, or demands related to or arising out of use, review or access of the Informational Content.

Proprietary Rights: The Informational Content is subject to protection under the copyright law and other intellectual property law in the United States and worldwide. The Children's Oncology Group retains exclusive copyright and other right, title, and interest to the Informational Content and claims all intellectual property rights available under law. You hereby agree to help the Children's Oncology Group secure all copyright and intellectual property rights for the benefit of the Children's Oncology Group by taking additional action at a later time, action which could include signing consents and legal documents and limiting dissemination or reproduction of Informational Content.