



**Evidence-Based Practice Project** 

Ana Cardona, BSN, RN Medical Surgical Unit





# *Clinical Significance*

Background



Improve dental care in pediatric patients Decrease dental cavities & poor oral hygiene



Lack of awareness & preventative oral health measures that are in accordance with the American Academy of Pediatric Dentistry (AAPD)

### **Purpose of the Project**

- Child Health Priority
  - What is going on nationally that makes pediatric dental health a priority?
- Organizational Priority
  - What Strategic Goal does this align with?





- Patients Families
- Nurses
- Educators

CHOC

- **Physicians Clinical Nurse Associates**
- **Outpatient Dentist Healthy Smile Agency**

## **Clinical Question**

Among pediatric patients, does the use of American Academy of Pediatric Dentistry (AAPD) clinical guidelines by health care providers compared to those who use standard dental care result in reduced risk of dental caries, improved dental hygiene practices, and increased dentist referral?



#### **Best Evidence**



- Search Databases
  - CINAHL database
  - Medline (PUBMED) database
- Key Words
  - Dental care, dental hygiene, dental decay, dental caries, oral health, clinical guidelines
- Number of Studies
  - Minimum of 10 studies
- Level of Evidence
  - Clinical practice guidelines from the American Academy of Pediatric Dentistry (Level I)
  - Literature Review (Level II)



## Critique & Synthesis of the Evidence

- Caries-Risk Assessment Tool (CAT) identifies high risk children
- Referral to a dentist increases likelihood of dental care
- Provider's dental knowledge is unlikely to be effective in increase dental referral
  - Referral environment is more important than provider knowledge, experience, or patient characteristics
- Guidelines to address oral health care in special health care needs in pediatric patients
- Guidelines for caries-risk assessment, anticipatory guidance, preventive strategies, and appropriate therapeutic interventions in pediatric oral health



## Critique & Synthesis of the Evidence

 There is sufficient research to establish clinical guidelines recommended by the AAPD at CHOC



## Adopt Change into Practice

To decrease dental cavities & poor oral hygiene there are recommendations necessary to adopt a change into clinical practice :

- Change in policy (what P&P?)
- Change in admission questionnaire (what?)
- Create an educational tool for nurses (what?)
- Promote health providers referral to outside dentist (how?)
- No changes needed with this slide, just discuss with me, please.



#### References

- Clinical guidelines on the role of dental prophylaxis in pediatric dentistry. American Academy of Pediatric Dentistry. Clinical guidelines.
- De la Cruz, G., Rozier, G., & Slade, G. (2004). Dental screening and referral of young children by pediatric primary care providers. Pediatrics, 114 (5), 642-652.
- Guidelines on management of person with special health care needs.
  American Academy of Pediatric Dentistry. Clinical guidelines
- Guideline on infant oral health care. American Academy of Pediatric Dentistry. Clinical guidelines
- Guideline on adolescent oral health care. American Academy of Pediatric Dentistry. Clinical guidelines
- Nield, L., Stenger, J., & Kamat, D. (2007). Dental disease: Pearls about those pearly whites. Consultant for Pediatricians, (8), 449-454.
- Peterson, D. (2007). Oral health changes & dental home care tips for asthma.
  Family Gentle Dental Care



#### **OUESTIONS**

#### Ana Cardona, BSN, RN Medical Surgical Unit Ext.

